

Type Specimens of the Insect Order Lepidoptera in the Collection of the National Museums of Kenya

E.N. Kioko, J.R. Mugambi, J.M. Muriuki, S. Ingrisch, C.N. Lange, M. Muchai, H. Oyieke, K.-H. Lampe†

Abstract. This paper presents the list of Lepidoptera type specimens held in the collection of the Invertebrates section of the National Museums of Kenya. The Lepidoptera type collection covers 639 type specimens representing 245 species or subspecies in 24 families. Those type specimens comprise 64 holotypes, 572 paratypes, two allotypes and one neallotype. The taxa are listed alphabetically. Reference to the original description, the type locality, geo-reference data, the name of collector(s), and collecting dates are provided.

Key words. Type specimens, Lepidoptera, NMK Nairobi

INTRODUCTION

In this paper we present the type specimens of the order Lepidoptera held at the Invertebrates section of the National Museums of Kenya (NMK), which houses 639 type specimens of Lepidoptera, representing 245 mainly Eastern African species or subspecies in 24 families. Of those specimens 64 are holotypes, two allotypes, 572 paratypes, and one neallotype.

The families and the species within families are listed alphabetically by specific or sub-specific epithet, followed by the full name with original generic assignment, author, year of original publication, page number of the description, gender and kind of type. If the current classification differs from the original name, the valid name is added together with its bibliographic source. For each species, the holotypes if in NMK are listed first, followed by secondary types. All types are listed with full locality information. This information includes names and geo-references of the collection sites, surname and initials of the collector(s), and the dates of collection. If not otherwise mentioned, the geo-references are approximations taken from the East African Gazetteer (1946–1949, 1956). Locality information for paratype specimens collected at the same locality and date by different collectors or collected by the same collector in the same locality but at different dates is pooled. Paratypes without specification are of unknown gender.

LEPIDOPTERA

Arcetidae

androsusca, *Rhodogastria androsusca* Pinhey, 1952: 176
Current classification: *Amerila androsusca* (Pinhey, 1952)
HT ♂ in BMNH

2 PT: Kenya: Nairobi, 1.17°S, 36.49°E, R.H.N. Simmonds, 1937; Mrs M.W. Poster, vii.1943

howardi, *Rhodogastria howardi* Pinhey, 1955: 14
Current classification: *Amerila howardi* (Pinhey, 1955)
HT in BMNH

3 PT: Tanzania: Amani, E. Usambara Mts, 5.06°S, 38.39°E, E. Pinhey, ii.1953

latifasciata, *Teracotona latifasciata* Carcasson, 1965: 151
HT ♂ in BMNH

1 PT: Tanzania: Dodoma, 10.38°S, 35.49°E, N. Mitton, iii.1950.

plicata, *Soloe plicata* Pinhey, 1952: 175
HT ♂ in BMNH

1 PT: Kenya: Nairobi, ii.1945

Choreutidae

massaicae, *Anthophila massaicae* Agassiz, 2008: 227

HT ♂: Kenya: Rift Valley: Turi, 0.17°S, 35.46°E, 8000 ft, D.J.L. Agassiz, 20.vi.1999

4 PT: same data as HT

Coleophoridae

acirfa, *Blastobasis acirfa* Adamski, 2010: 20

HT ♂: Kenya: Kakamega Forest, 0°13.66'N, 34°55.12'E (OD), R.S. Copeland, 15.viii.2000

1 PT: same data as HT.

1 PT: Kenya: Coast, Kaya Kinondo, 4.23°N, 39.32°E, R.S. Copeland, 20.vii.2000

aynekiella, *Blastobasis aynekiella* Adamski, 2010: 23

HT ♂: Kenya: Kakamega Forest, 0°14.16'N, 34°51.82'E (OD), R.S. Copeland, 26.iv.2001

1 PT: same data as HT, 14.viii.2000.

1 PT: Kenya: Western Kakamega Forest, 0°14.13'N, 34°51.87'E (OD), R.S. Copeland, 2.v.2000

catappaella, *Blastobasis catappaella* Adamski, 2010: 25

HT ♂: Kenya: Laikipia plateau, Mpala research center, 0.293°N, 36.899°E, 1650 m, R.S. Copeland, 16.–19.vi.2003

1 PT: Kenya, Coast Kaya Kinondo, 4°23.71'S, 39°32.84'E (OD), R.S. Copeland, 20.vii.2000

chuka, *Blastobasis chuka* Adamski, 2010: 29

HT ♂: Kenya: Chuka Forest, 0°21.06'S, 37°35.80'E (OD), R.S. Copeland, 20.i.2003

2 PT: Kenya: Gatamayu Forest, 0°58.45'S, 36°41.83'E (OD), R.S. Copeland, 17.iv.2001

1 PT: Kenya: Ololua Forest, 0°21.06'S, 37°35.80'E (OD), R.S. Copeland, 16.viii.1999.

elgonae, *Blastobasis elgonae* Adamski, 2010: 31

HT ♂: Kenya: Mt Elgon, 1°01.73'N, 34°45.28'E (OD), R.S. Copeland, 1.ii.2003

glauconotata, *Blastobasis glauconotata* Adamski, 2010: 25

HT ♂: Kenya: Nairobi, 1.16°S, 36.48°E, R.S. Copeland, v.2001

1 PT: Kenya: Chuka Forest, 0°21.06'S, 37°35.80'E (OD), 1600 m, R.S. Copeland, 20.i.2003.

2 PT: Kenya: Central province: Njukini Forest, 0°31.15'S, 37°25.19'E (OD), A & M, 24.vii.2001

kenya, *Blastobasis kenya* Adamski, 2010: 17

HT ♂: Kenya: Karu/Brooks, 0°8.87'S, 35°15.77'E (OD), R.S. Copeland, 17.viii.2000.

7 PT: Kenya: Shimba, 4.13°S, 39.25°E, R.S. Copeland, 9.viii.2002

4 PT: Kenya: Coast, Kaya Kinondo, 4°23.71'S, 39°32.84'E (OD), R.S. Copeland, 20.vii.2000.

2 PT: Kenya: Coast Province, Nairobi-Mombasa rd, 4.14°S, 39.23°E, R.S. Copeland, 3.v.2001

2 PT: Kenya: Arabuko Sokoke Forest, 3°12.18'S, 39°55.63'E (OD), R.S. Copeland, 25.viii.1999

2 PT: Kenya: Mirima Hill, 4°29.25'S, 39°15.37'E, R.S. Copeland, 3.v.2001

laikipiae, *Neoblastobasis laikipiae* Adamski, 2010: 9

HT ♂: Kenya: Laikipia plateau, Mpala research center, 0.293°N, 36.899°E (OD), S.E. Miller & T.M. Kuklenski, 23.–26.xii.1999

millicentae, *Blastobasis millicentae* Adamski, 2010: 15
HT ♂ in TMSA

1 PT: Kenya: Shimba Hills, 4°15.42'S, 39°22.96'E (OD), R.S. Copeland, 9.viii.2002

mpala, *Blastobasis mpala* Adamski, 2010: 34

HT: Kenya: Laikipia plateau, Mpala research center, 0.293°N, 36.899°E (OD), S.E. Miller & T.M. Kuklenski, 23.–25.v.1998

perisella, *Neoblastobasis perisella* Adamski, 2010: 11
HT ♂ in BMNH

1 PT: Kenya: Shimba Hills, 4°15.42'S, 39°22.96'E (OD), R.S. Copeland, 9.viii.2002

1 PT: Kenya: Arabuko-Sokoke Forest, 3°12.18'S, 39°55.63'E (OD), R.S. Copeland, 3.i.2001

wangithiae, *Neoblastobasis wangithiae* Adamski, 2010: 11

HT ♂: Kenya: Ngongoni Forest, 4°24.37'S, 39°28.26'E (OD), R.S. Copeland, 3.v.2001

ximeniaella, *Neoblastobasis ximeniaella* Adamski, 2010: 14

HT ♂: Kenya: Arabuko-Sokoke Forest, 3°12.18'S, 39°55.63'E (OD), R.S. Copeland, 3.i.2001

Crambidae

callixantha, *Pardomima callixantha* Martin, 1955: 510
HT ♂ in BMNH

1 PT: Zambia: Chiweuwe, 13.6°S, 29.4833°E (www.getamap.net), N. Mitton, ii.1950

1 PT: Tanzania: Iringa, 0.36°S, 34.15°E, N. Mitton, iii.1950

Drepanidae*angulosa*, *Gonoreta angulosa* Watson, 1965: 86

HT ♂ in BMNH

2 PT: Uganda: Katera, Sango Bay, Masaka, 0.91°S, 31.64°E, R.H. Carcasson, x.1960*cymba*, *Gonoreta cymba* Watson, 1965: 82

HT ♂ in BMNH

1 PT: Uganda: Bwamba, Toro, 0.50°N, 30.033°E, N. Mitton, ix.1961*forcipulata*, *Gonoreta forcipulata* Watson, 1965: 85

HT ♂ in MRAC

1 PT: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, E. Pinhey, v.1952*inangulata*, *Spidia inangulata* Watson, 1965: 103

HT ♂ in BMNH

1 PT: Cameroon: Bitje Ja River, 3.01°N, 12.22°E, G.L. Bates x.1920**1 PT**: Uganda: Bwamba, Toro, 0.50°N, 30.033°E, N. Mitton, ix.1961*opacifinis*, *Gonoreta opacifinis* Watson, 1965: 87

HT ♂ in BMNH

2 PT: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961*quadricornis*, *Negera quadricornis* Watson, 1965: 60

HT ♂ in BMNH

1 PT: Kenya: Mt. Elgon, 1.08°N, 34.33°E, T.H.E. Jackson, ix.1931*robusta*, *Epicampoptera robusta* Watson, 1965: 33

HT ♂ in MRAC

1 PT: Congo: Mt Hoja, Bunia Ituri, R.H. Carcasson, iii.1959**2 PT**: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961**Geometridae***acutiapex*, *Chiasmia acutiapex* Krüger, 2001: 173

HT ♂ in BMNH

1 PT ♂: Kenya: Nairobi, 1.17°S, 36.50°E, R.H. Carcasson, v.1964*albimaculata*, *Eupithecia albimaculata* Fletcher, 1956: 38
HT in BMNH**1 PT**: Kenya: Nairobi, 1.17°S, 36.50°E, E. Pinhey, xi.–xii.1952*albogrisea*, *Isturgia albogrisea* Krüger, 2001: 108**HT** ♂: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, G. Pringle, xii.1961**1 PT** ♀: Kenya: Mtito Andei, 2.41°S, 38.10°E, R.H. Carcasson, iv.1966*ankoleensis*, *Colocleora ankoleensis* Carcasson, 1965: 138

HT ♂ in BMNH

1 PT: Uganda: Kalinzu, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961*aurantiaca*, *Pigiopsis aurantiaca* Carcasson, 1964: 53

HT in BMNH

PT ♀: Kenya: Shimba Hills, 4.13°S, 39.25°E, R.H. Carcasson, xii.1961**1 PT**: Kenya: Baringo, 0.38°N, 36.16°E, G. Rilling, vi.1973*aurea*, *Geodena aurea* Carcasson, 1965: 139

HT ♂ in BMNH

1 PT ♀: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961*aureobrunnea*, *Chiasmia aureobrunnea* Krüger, 2001: 205

HT ♂ in BMNH

1 PT ♀: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, Scheven, v.1961*baringensis*, *Chiasmia baringensis* Agassiz, 2009: 9**HT** ♂: Kenya: Rift valley, Baringo Dist., 1000 m, 0°30'N 36°05'E (OD), D.J.L. Agassiz, 6.xi.2006*bullifera*, *Platyplepa bullifera* Krüger, 2001: 68**HT** ♀: Kenya: Langata forest, D. Minter, vi.1961*carcassoni*, *Cleora carcassoni* Fletcher, 1967: 36

HT ♂ in BMNH

1 PT: Uganda: Kalinzu, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961

- cinerea*, *Geodena cinerea* Carcasson, 1965: 140
HT ♂ in BMNH
- 2 PT**: Uganda: Kalinzu, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- cinnamomea*, *Mesothisa cinnamomea* Carcasson, 1964: 65
- 1 PT**: Uganda: Kalinzu, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- 1 PT**: Uganda: Kayonza, Kigezi, 1.11°S, 30.11°E, T.H.E. Jackson, v.1957
- crassilinea*, *Mesothisa crassilinea* Carcasson, 1962: 58
HT ♂ in BMNH
- 2 PT**: Congo: Bena, Dibebe Sankuru Kasai, R.H. Carcasson, iv.1959
- 1 PT**: Uganda: Kayonza, Kigezi, 1.11°S, 30.11°E, T.H.E. Jackson, v.–vi.1957
- curvigliadata*, *Platypepla curvigliadata* Krüger, 2001: 70
- HT** ♂: Nigeria: Kajala Kogin Kano, National reserve, H. Politzan, iv.1974
- dactylata*, *Cleora dactylata* Fletcher, 1967: 60
HT ♂ in BMNH
- 1 PT**: Uganda: Bwamba, 0.50°N, 30.033°E, R.H. Carcasson, v.1956
- danmariae*, *Chiasmia danmariae* Krüger, 2001: 257
- HT** ♂: Nigeria: Kogin Kano Forest Reserve, Danmarra, 10.91°N, 8.66°E (GM), H. Politzow, iii.1974
- evansi*, *Chiasmia evansi* Krüger, 2001: 173
- HT** ♀: Kenya: Marigat, 0.05°N, 36.29°E, R.T.Evans, 14.viii.1950
- fletcheri*, *Aphilopota fletcheri* Carcasson, 1965: 136
HT ♂ in BMNH
- 2 PT** ♂: Uganda: Sango Bay, Masaka, R.H. Carcasson, x.1960
- 2 PT** ♂: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- grandis*, *Chiasmia grandis* Krüger, 2001: 198
HT ♂ in ZSM
- 2 PT** ♀: Uganda: Bwamba Toro, 0.50°N, 30.049°E, N. Mitton, ix.1961
- 1 PT** ♀: Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, x.1962
- griseata*, *Miantochora griseata* Carcasson, 1964: 61
- 4 PT**: Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, x.1962
- hellingsi*, *Neuropolodes hellingsi* Carcasson, 1962: 57
Current classification: *Plegapteryx hellingsi* (Carcasson, 1962)
HT ♂ in BMNH
- 7 PT**: Uganda: Sango Bay, Masaka, R.H. Carcasson, x.1960
- hypachatinea*, *Macaria hypachatinea* Krüger, 1995
Current classification: *Chiasmia hypachatinea* (Krüger, 1995)
- 1 PT**: Uganda: Mpanga Forest port portal, 0.50°N, 30.033°E, v.1958
- inouei*, *Semiothisa inouei* Herbulot, 1987: 276–284
Current classification: *Chiasmia inouei inouei* (Herbulot, 1987)
HT ♂ in ZSM
- 1 PT**: Uganda: Bwamba Toro, 0.50°N, 30.033°E, R.H. Carcasson, v.1966
- inquilina*, *Xylopteryx inquilina* Agassiz, 2009: 9
- HT** ♂: Kenya: Rift Valley, L. Bogoria, 1000 m, 0.40°N, 36.5°E (OD), D.J.L. Agassiz, 21.xi.2004
- 1 PT**: same data as HT
- kenyae*, *Chiasmia kenyae* Krüger, 2001: 1–502
- HT** ♂: Kenya: Isiolo, 0.35°N, 37.58°E, Mrs. Adamson, iv.–v.1951
- 1 PT** ♂: Kenya: Baringo, 0.38°N, 36.16°E, G. Rilling, vi.1973
- 1 PT** ♂: Kenya: Ngong, 1.19°S, 36.44°E, Fowler and Coulson, iv.–v.1954
- kilifi*, *Chiasmia kilifi* Krüger, 2001: 174
- HT** ♀: Kenya: Kilifi, 3.38°S, 39.51°E, vi.1949
- mabira*, *Sphingomima mabira* Carcasson, 1964: 56
- 3 PT**: Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, x.1962

mackayi, *Platyptera mackayi* Krüger, 2001: 69

HT ♂: South Africa: Kirkwood, D. Mackay, xii.1966
1 PT ♂: same data as HT

melanops, *Psilocera melanops* Carcasson, 1965: 134
 HT ♂ in BMNH

1 PT ♂: Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, x.1962

misogyna, *Xenimpia misogyna* Carcasson, 1962: 60
 HT ♂ in BMNH

3 PT: Kenya: Ngong, Nairobi, 1.19°S, 36.44°E, R.H. Carcasson, v.1954; Fowler & Coulson, x–xi.1954

5 PT: Kenya: Nairobi, 1.17°S, 36.50°E, R. Carcasson, xi.1967

neglecta, *Hyosidra neglecta* Carcasson, 1964: 67

3 PT: Uganda: Kalinzu Forest, Jinja, 0.25°S, 30.05°E, R.H. Carcasson, x.1962

obtusilinea, *Milocera obtusilinea* Krüger, 2002: 78–86

HT: Uganda: Kigezi, Kayaonza, 0.16°S, 31.37°E, R.C. Otieno, iii.1957

parastreniata, *Chiasmia parastreniata* Krüger, 2001: 195

HT ♂: Zambia: Tanganyika, Chulwe, 15.717°S, 27.301°E (GM), J. Kielland, iv.1966 [or 20.vii.1966]

1 PT ♂: Kenya: Kaptagat, 0.4°N, 35.4°E, Walter, 16.iii.1948

parvistictus, *Blaboplutodes parvistictus* Carcasson, 1965: 134

HT ♂ in BMNH

1 PT ♂: Uganda: Sango Bay, Masaka, 0.33°S, 31.73°E (GM), R.H. Carcasson, x.1960

pavlitzkiae, *Neochleora pavlitzkiae* Fletcher, 1958: 139
 HT ♂ in BMNH

percnoptera, *Chiasmia percnoptera* Prout, 1915: 350
 HT ♂ in BMNH

pringlei, *Geodena pringlei* Carcasson, 1964: 69

1 PT: Tanzania: Amani, Usambara Mts., 5.06°S, 38.39°E, G. Pringle, vii.1962

3 PT: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961

pringlei, *Neopitheca pringlei* Carcasson, 1964: 70

4 PT: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, G. Pringle, iv.1962, i.1963

prouti, *Xylopteryx prouti* Carcasson, 1965: 135
 HT ♂ in BMNH

1 PT: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961

psammites, *Zamarada psammites* Fletcher, 1958: 141
 HT ♂ in BMNH

1 PT: Kenya: Thika road, Nairobi, 0.25°S, 36.38°E, E. Pinhey, vii.–xii.1951

2 PT: Kenya: Mt. Elgon, 1.08°N, 34.33°E, T.H.E. Jackson, viii.1954

pseudabraxas, *Rhodophthitus pseudabraxas* Carcasson, 1964: 56

1 PT: Congo: Quesso, Mambili Forest, Fr. Equat. Africa; T.H.E. Jackson, vi.1960

pseudospurcata, *Platyptera pseudospurcata* Krüger, 2001: 69

HT ♂: South Africa: Muden, Natal, H. Cookson, xii.1953

pumilata, *Prasinocyma pumilata* Fletcher, 1956: 19–42
 HT in BMNH

1 PT: Kenya: Voi, 3.23°S, 38.34°E, D. Sheldrick, xi.1951

punctum, *Milocera punctum* Krüger, 2002: 78–86

HT: Uganda: Impenetrable Forest, Kigezi, 0.16°N, 31.37°E, R.C. Otieno, iii.1967

1 PT: Tanzania: Amani, E. Usambara, 5.06°S, 38.39°E, R.H. Carcasson, xi.1965

radula, *Cleora radula* Fletcher, 1967: 104
 Holotype ♂ in MRAC

2 PT: Kenya: Malaba Forest, 0.28°N, 34.51°E, C.R. Howard, vi.1957

sangoana, *Archichlora sangoana* Carcasson, 1971: 172
 HT ♂ in BMNH

4 PT: Kenya: Ngong, Nairobi, 1.19°S, 36.44°E, Fowler and Coulson, ii.1954

1 PT: Tanzania: Mufindi, Iringa, 8.36°S, 35.17°E, P. Burdens

- 4 PT:** Uganda: Malabigambo Forest, Sango Bay, 0.57°N, 31.35°E, A.L. Archer ii.1968
- schistopenis*, *Platyepala schistopenis* Krüger, 2001: 70
- HT ♂:** Kenya: Nairobi, 1.17°S, 36.50°E, R.H. Carcasson, iv.1958
- 1 PT ♂:** Kenya: Nakuru, 0.17°S, 36.04°E, A. Townsend, bred xi.1937
- serratignathos*, *Milocera serratignathos* Krüger, 2002: 78–86
- HT:** Tanzania: Mufindi, 8.36°S, 35.17°E, P. Burdens, 1955
- simplex*, *Chiasmia simplex* Krüger, 2001: 174
- HT ♂** in ZSM
- 1 PT ♂:** Kenya: Nanyuki 1.20°S, 36.41°E, Max Col, v.1951
- soror*, *Chiasmia soror* Krüger, 2001: 258
- HT ♂:** Kenya: Samburu, 3.45°S, 39.17°E, G. Rilling, xi.1973
- substigmata*, *Mesothisa substigmata* Carcasson, 1964: 62
- 1 PT:** Uganda: Bwamba, 0.50°N, 30.033°E, R.H. Carcasson, v.1958
- 1 PT:** Uganda: Kampala, 0.19°N, 32.35E E. Pinhey, v.1952
- 2 PT:** Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, x.1952
- 1 PT:** Congo: Opala, Lomami River, Prov. Orientale, 0.509°S, 24.229°E (GM), R.H. Carcasson, iii.1959
- sylvania*, *Geolyces sylvania* Carcasson, 1964: 66
- 1 PT:** Kenya: Malaba Forest, 0.28°N, 34.51°E, C.R. Howard, vi.1957
- 2 PT:** Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- 1 PT:** Congo: Opala, Lomami River, Prov. Orientale, 0.509°S, 24.229°E (GM), R.H. Carcasson, iii.1959
- tabacata*, *Eupithecia tabacata* Fletcher, 1951: 1021
- HT ♂** in BMNH
- 1 PT:** Kenya: Nakuru, 0.17°S, 36.04°E, A. Townsend, 28.ii.1944
- townsendi*, *Stierha townsendi* Fletcher, 1956
- Current classification: *Idaea townsendi* (Fletcher, 1956)
- HT** in BMNH
- 6 PT:** Kenya: Nakuru, 0.17°S, 36.04°E, A. Townsend, 20.x.1952
- thyris*, *Cleora thyris* Fletcher, 1967: 72
- HT ♂** in BMNH
- 7 PT:** Kenya: Marsabit, 2.16°N, 38.00°E, J.G. Williams, ii.1956
- 1 PT:** Kenya: Nairobi, 1.17°S, 36.50°E, R.H. Carcasson, iv.1958
- ugandana*, *Pigiopsis ugandana* Carcasson, 1964: 53
- HT ♂** in BMNH
- 1 PT ♂:** Uganda: Katera, Sango Bay, Masaka, 0.91°S, 31.64°E, R.H. Carcasson, x.1960
- variegata*, *Geolyces variegata* Carcasson, 1962: 59
- HT ♂** in BMNH
- 1 PT:** Uganda: Fort Portal Toro, 0.40°N, 30.17°E, N. Milton, ix.1961
- 2 PT:** Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- 1 PT:** Uganda: Kayonza Kigezi, 1.11°S, 30.11°E, T.H.E. Jackson, vi.1957
- vella*, *Chiasmia vella* Agassiz, 2009: 9–17
- HT ♀:** Kenya: Rift Valley, L. Bogoria, 1000 m, 0.40°N, 36.5°E, D.J.L. Agassiz, 9.xii.2004
- watsonae*, *Victoria watsonae* Carcasson, 1971: 169
- HT ♂** in BMNH
- 4 PT ♂:** Liberia: Nimba, Grassfield, 7.488°N, 8.571°W (GM), A. Forbes Watson, vii.–viii.1967
- watulekii*, *Mimaletis watulekii* Carcasson, 1962: 55
- HT ♂** in BMNH
- 5 PT:** Nigeria: Prov. Ikon Ogoja, T.H.E. Jackson, i.1956
- zingiberiata*, *Eupithecia zingiberiata* Fletcher, 1956: 38
- 1 PT:** Kenya: Nairobi, 1.17°S, 36.50°E, E. Pinhey, xii.1952
- 2 PT:** Kenya: Thika, Nairobi, 1.04°S, 37.03°E, E. Pinhey, vii.–xii.1951
- Gracillariidae**
- obandal*, *Phyllonorycter obandai* De Prins & Mozuraitis, 2006: 55–68
- Holotype ♂ in MRAC

1 PT ♂: Kenya: Kakamega Forest, 0.16°N, 34.55°E, W. De Prins, 28.iii.2003

Hesperiidae

mittoni, *Metisella formosus mittoni* Carcasson, 1961: 23
Current classification: Synonym of *Metisella formosus* Butler, 1893

7 PT: Ethiopia: Abyssinia, Mega, 4.057°N, 38.312°E (GM), R.H. Carcasson, 1.xii.1941

1 PT: Kenya: Machakos, 2.00°S, 37.40°E, R.H. Carcasson, iv.1958

nancy, *Kedestes nancy* Collins & Larsen 1991: 438–445

HT: Kenya: Machakos, 2.00°S, 37.40°E, R.H. Carcasson, iv.1958

Limacodidae

radiata, *Cosuma radiata* Carcasson, 1965: 152

HT ♂ in BMNH

2 PT: Tanzania: Ilonga, 10.28°S, 36.33°E, Mrs. Chalmers, i.1965

Lasiocampidae

borealis, *Bombycomorpha bifascia borealis* Joannou & Gurovich, 2009: 103–117

HT ♂ in MWM

1 PT: Kenya, Machakos, 1.29°S, 37.16°E, B.T. Person, x.–xi.1950

1 PT: Kenya, Nairobi, Thika Road, 1.16°S, 36.49°E, E. Pinhey, xii.1950

1 PT: Tanzania, Arusha, 3.20°S, 36.41°E, N. Mitton, iii.1950

Lycenidae

adamsoni, *Leptotes adamsoni* Collins & Larsen, 1991: 232

HT: Kenya: Kora Rock, Tana River Exp., 1.30°S, 39.30°E, I.L. No, 19.vii.1976

3 PT: same data as HT

alticola, *Epamera silanus alticola* Stempffer, 1961: 96
Current classification: *Iolais (Epamera) silanus alticola* (Stempffer, 1961)

4 PT: Tanzania: Amani, Usambara Mts., 5.06°S, 38.39°E, T.H.E. Jackson, ix.1959

azurea, *Hypokopelates azurea* Stempffer, 1964: 1280
Current classification: *Pilodeudorix azurea* (Stempffer, 1964)

1 PT: Uganda: Kayonza Kigezi, 1.11°S, 30.11°E, T.H.E. Jackson, viii.1963

baginei, *Actis perigrapha baginei* Collins & Larsen, 1991: 439

Current classification: *Pilodeudorix baginei* (Collins & Larsen, 1991)

1 PT: Kenya: Kakamega, 0.16°N, 34.55°E, T.H.E. Jackson, xii.1936

1 PT: Uganda: Kalinzu Forest, W. Ankole, 0.25°S, 30.05°E, T.H.E. Jackson, i.1938

bjoernstadi, *Anthene bjoernstadi* Collins & Larsen, 1991: 440

HT: Kenya: Kakamega Forest, 0.16°N, 34.55°E, A. Bjoernstad, 10.x.1984

crippsi, *Epitola crippti* Stoneham, 1934: 1

Current classification: *Hewitsonia crippti* (Stoneham, 1934)

HT: Kenya: E. Surr, Estates Kenya, M. Libert, ix.1932

chyulu, *Pentila tropicalis chyulu* van Someren, 1939: 145

9 PT: Kenya: Chyulu Hills, 2.24°S, 37.44°E, Coryndon Museum, v.1938

entebbeana, *Epitola cephena entebbeana* Bethune-Baker, 1926: 392

Current classification: *Cephetola cephena entebbeana* (Bethune-Baker, 1926)

1 Neotype (Libert 1999)

Uganda: Kagera, Masaka, 0.336°S, 31.734°E (GM), T.H.E. Jackson, v.1965

fontainei, *Micropentila fontainei* Stempffer & Bennett, 1965

HT in MRAC

1 PT: Uganda: Bwamba, 0.50°N, 30.033°E, R.H. Carcasson, v.1958

fragilis, *Baliochila fragilis* Stempffer & Bennet, 1953: 95

2 PT: Kenya: Meru, Matini, 0.05°N, 37.37°E, T.H.E. Jackson, vi.1946

- gabonica**, *Mimacraea apicalis gabonica* Libert, 2000: 22
HT: Africa: Sembe, Sonke Distr., T.H.E. Jackson, iii.1960
- horus**, *Cupido horus* Stoneham, 1938: 2
 Current classification: *Euchrysops horus* (Stoneham, 1938)
1 PT: Kenya: Transzoia, 0.50°S, 35°E, Stoneham, 1.ii.1938
- jacksoni**, *Pseudoneaveia jacksoni* Stempffer, 1964: 1265
1 PT: Congo: Møyen, Kellé, 0.067°S, 14.5°E (GM), T.H.E. Jackson, vii.1962
- kelle**, *Ornipholidotos kelle* Stempffer, 1967: 985
1 PT: Congo: Møyen, Entoumbi, T.H.E. Jackson, viii.1963
1 PT: Congo: Møyen, Kellé, 0.067°S, 14.5°E (GM), T.H.E. Jackson, viii.1963
- kiellandi**, *Aloeides molomo kiellandi* Carcasson, 1961: 19
2 PT: Tanzania: Mpanda, 6.30°S, 31.30°E, J. Kielland, vii.1959
- kigoma**, *Telipna sanguinea kigoma* Kielland, 1978: 193
 Current classification: *Telipna kigoma* Kielland, 1978
HT ♂: Tanzania: Kigoma, 4.884°S, 29.634°E (GM); Lubalizi [Lubalisi], 5.936°S, 30.101°E (GM), J. Kielland, 6.iii.1970
AT ♀: same data as HT, 11.iii.1970
2 PT: Tanzania: Kigoma, 4.884°S, 29.634°E (GM), J. Kielland, 7.iii.1970
2 PT: Congo: Katanga Sandoa, 1.41°S, 37.22°E, F.G. Overlaet, 4.x.1940
- landbecki**, *Pentila landbecki* Stempffer & Bennet, 1961: 1165
2 PT: Congo: Loile River, Ikela, R.H. Carcasson, iv.1959
- likouala**, *Anthene likouala* Stempffer, 1962: 1176
 Current classification: *Anthene (Neurellipes) likouala* Stempffer, 1962
1 PT: Congo: Sankuru, Kasai, Bena Dibebe, R.H. Carcasson, iv.1959
- lipara**, *Baliochila lipara* Stempffer & Bennett, 1953: 99
1 PT: Zimbabwe: S. Rhodesia, Vumba, 19.887°S, 31.371°E (GM), B.D. Barnes, iii.1947
- 3 PT**: Kenya: Mombasa, Rabai, 6.12°S, 39.13°E, T.H.E. Jackson, F.G. Overlaet, A. Rogers, 12.viii.1909
- longifalces**, *Lepidochrysops longifalces* Tite, 1961: 22
1 PT: Zimbabwe: Umtali [Mutare], Butker, South Rhodesia, 18.976°S, 32.656°E (GM), 14.ii.1954
- maritimus**, *Iolanus maritimus* Stempffer & Bennett, 1958: 1308
 Current classification: *Iolaphilus maritimus* (Stempffer & Bennett, 1958)
1 PT: Tanzania: Usambara, Amani, 5.06°S, 38.39°E, T.H.E. Jackson, ix.1959
- masaka**, *Erestina masaka* Stempffer, 1962: 1155
4 PT: Uganda: Katera, 0.91°S, 31.64°E, T.H.E. Jackson, vii.1960
2 PT: Uganda: Sango Bay, Katera, 2.39°S, 31.47°E, T.H.E. Jackson, viii.1960
- mongiro**, *Epitola mongiro* Jackson, 1968: 1474
 Current classification: *Stempfferia ciconia mongiro* (Jackson, 1968)
 Current classification: *Stempfferia (Cercemia) mongiro* (Jackson, 1968)
HT: Uganda: Mongiro, Bwamba, 0.50°N, 30.33°E, T.H.E. Jackson, viii.1964
- montana**, *Iolaphilus montana* Kielland, 1978: 199
HT: Tanzania: 9.03°S, 34.32°E, J. Kielland, 23.vii.1959
1 PT: Tanzania: 9.03°S, 34.32°E, Major van Inger 23.vii.1959
3 PT: Tanzania: Kigoma, Lubalizi [Lubalisi], 5.936°S, 30.101°E (GM), J. Kielland, 06.iii.1970
- mpanda**, *Lepidochrysops mpanda* Tite, 1961: 23
1 PT: Tanzania: Mpanda, 6.30°S, 31.30°E, J.G. Williams 23.x.1958
- nigeriana**, *Pentila nigeriana* Stempffer & Bennett, 1961: 1158
4 PT: Nigeria: Ilaro, Lagos, 6.9°N, 3.017°E (GM), T.H.E. Jackson, iv.1955
1 PT: Nigeria: Onitsha Province, Manu Awka, 6.206°N, 7.068°E (GM), T.H.E. Jackson, xi.1959
- nzoiae**, *Myrina nzoiae* Stoneham, 1937: 2
 also cited as *Myrina silemus nzoiae* Stoneham, 1937

1 PT: Kenya: Transzoia, 0.50°S, 35°E, 17.iv.1928

olalae, *Stugeta olalae* Stoneham, 1933: 2

1 PT: Kenya: Transzoia, 0.50°S, 35°E, Stoneham, 7.xii.1925

pringlei, *Baliochila pringlei* Stempffer, 1967: 987

2 PT: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, T.H.E. Jackson, iv.1945

1 PT: Tanzania: Turiani, Uluguru Mts., 6.15°S, 37.599°E (GM), T.H.E. Jackson, v.1949

pseudofragilis, *Baliochila pseudofragilis* Kielland, 1976: 105

HT: Tanzania: Usambara River, 4.45°S, 38.30°E, J. Kielland, 24.iii.1972

1 AL, 4 PT: as holotype, 24–25.iii.1972

rhodosense, *Epamera mimosae rhodosense* Stempffer & Bennett, 1959: 237

Current classification: *Iolaus (Epamera) mimosae rhodosense* (Stempffer & Bennett, 1959)

2 PT: Somalia: Qardho, Migertein, 9.5°N, 49.083°E (GM), E.W. Lamin, T.H.E. Jackson, xii.1943

2 PT: Zimbabwe: Matabeleland, E.W. Lamin, J. Kielland, 13.xii.1922

stempfferi, *Castalius stempfferi* Kielland, 1976: 107

4 PT: Tanzania: Mikumi National Park, 7.15°S, 37.05°E, J. Kielland, v.1973

toroensis, *Anthene lachares toroensis* Stempffer, 1947: 40

2 PT: Uganda: Toro, 0.19°N, 37.56°E, T.H.E. Jackson, viii.1949

ufipa, *Virachola ufipa* Kielland, 1978: 203

HT: Tanzania: Chala, Ufipa, J. Kielland, viii.1973

usambarae, *Uranothauma usambarae* Kielland 1980: 542

2 PT: Tanzania: Usambara, 4.45°S, 38.30°E, S. Collins, iii.1976

vansomereni, *Cnodontes vansomereni* Stempffer & Bennett 1953: 103

2 PT: Uganda: Bwamba, 0.50°N, 30.033°E, R.H. Carcasson, ix.1923

williamsi, *Aphaeus flavescens williamsi* Carcasson, 1964: 70

3 PT: Kenya: Sokoke Forest, 3.20°S, 39.52°E, J.G. Williams, iv.1957, iv.1960

Lymnatriidae

cryptogena, *Pirga cryptogena* Collenette, 1931: 351

1 PT: Uganda: Toro [now Kibale], Daro Forest, 0.26°N, 30.23°E, S.A. Neave, 26.x.1911

teroensis, *Paramarbla teroensis* Collenette, 1937: 606

1 PT: Uganda: Tero Forest, S.E. Buddu, S.A. Neave, 1912

Metarbelidae

abduhrahmani, *Metarbela abduhrahmani* Lehmann, 2008: 43–82

HT ♂: Tanzania: E. Usambara, Amani, 5.06°S, 38.39°E, R.H. Carcasson xi.1965

bennyhytebieri, *Salagena bennyhytebieri* Lehmann, 2008: 43–82

HT ♂ in BMNH

2 PT ♂, ♀: Kenya: Nairobi, Ngong, 1.19°S, 36.44°E, Fowler & Coulson, iii.1954

chidingai, *Metarbela chidingai* Lehmann, 2008: 43–82

HT ♂: Tanzania: Morogoro Dist, Mikumi, 7.24°S, 36.59°E, Mrs. Marsh, v.1963

1 PT ♂: Tanzania: Uluguru Mts, 7.10°S, 37.40°E, E.S. Brown, ii.1970

claudiae, *Arbelodes claudiae* Lehmann, 2010: 27

HT ♂ in BMNH

1 PT ♀, 2 PT ♂: Zambia: North-Rhodesia, Abercorn [Mbala], 8.84°S, 31.374°E (GM), I.R.L.C.S., x.1967, ix.1969, vii.1971

estherae, *Paralebedella estherae* Lehmann, 2008: 43–82

HT ♂: Tanzania: Amani, 5.36°S, 39.43°E, G. Pringle, ii.1964

johni, *Lebedodes johni* Lehmann, 2008: 43–82

HT ♂: Kenya: Sokoke Forest, White Sand, Malindi, 3.20°S, 39.52°E, M.P. Clifton, iv.1969

- kobesi**, *Metarbela kobesi* Lehmann, 2007: 169–185, 286–287
HT ♂ in ZMB
- 1 PT** ♂: Namibia: Brandberg, 21.137°S, 14.584°E (GM), Hungarob Valley, W. Mey, 17.iii.2001
- kroonae**, *Arbelodes kroonae* Lehmann, 2007: 169–185, 286–287
HT ♂ in ZMB
- 1 PT** ♂: Namibia: Gondwana Canyon, Lodge Karios, 27.61°S, 17.88°E (GM), E. Ebert, 28.iii.2001
- shimonii**, *Metarbela shimonii* Lehmann, 2008: 43–82
HT ♂ in BMNH
- 1 PT** ♂: Kenya: Kwale District, Gongoni Forest, 4.25°S, 39.28°E, Ingo Lehmann, 5.ii.2005
- sommerlattei**, *Ortharbela sommerlattei* Lehmann, 2008: 43–82
- HT** ♂: Tanzania: Amani, 5.36°S, 39.43°E, G. Pringle, i.1963
- weinmanni**, *Metarbela weinmanni* Lehmann, 2007: 169–185, 286–287
HT ♂ in ZMB
- 1 PT** ♂: Namibia: W. Mey, 5.iii.2002
- willihaberlandi**, *Lebedodes willihaberlandi* Lehmann, 2008: 43–82
- HT** ♂: Tanzania: Mufindi Terr., 8.30°S, 35.15°E, P. Burton, 1955
- Noctuidae**
- afra**, *Helicoverpa afra* Hardwick, 1965: 123
Current classification: Synonym of *Heliothis assulta* Guenée, 1852
- 1 PT**: South Africa: Natal, Balgowan, 29.22°S, 30.1°E (GO), K. Pennington, x.1951
- 1 PT**: South Africa: Natal, 29.22°S, 30.1°E (GO), Lady Smith, A.H. Newton, x.1952
- amaniensis**, *Herpeperas amaniensis* Pinhey, 1956: 79
- 2 PT**: Tanzania: Amani, E. Usambara Mts, 5.06°S, 38.39°E, E. Pinhey, ii.1953
- apicirupta**, *Lacera apicirupta* Carcasson, 1965: 150
Current classification: *Eutermia apicirupta* (Carcasson, 1965)
HT ♂ in BMNH
- 1 AT** ♀: Uganda: Kalinzu, Ankole, 25°S, 30.05°E, R.H. Carcasson, xi.1961
- argyrochlora**, *Tuerta argyrochlora* Carcasson, 1964: 72
Current classification: *Pseudotuerta argyrochlora* (Carcasson, 1964)
HT ♂ in BMNH
- 1 PT**: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- caput-rubrum**, *Calesia caput-rubrum* Carcasson, 1965: 149
Current classification: *Calesia caputrubrum* Carcasson, 1965
HT ♂ in BMNH
- 3 PT**: Uganda: Ankole, Kalinzu Forest, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- carcassoni**, *Anoba carcassoni* Berio, 1971: 66
- 1 PT**: Kenya: Coast: Shimba Hills, 4.13°S, 39.25°E, R.H. Carcasson, xii.1961
- cryptoleuca**, *Calesia cryptoleuca* Carcasson, 1965: 148
HT ♂ in BMNH
- 1 PT**: Uganda: Entebbe, 0.04°N, 32.28°E, J.A. Burges, ix.1954
- dorsti**, *Dorstiana dorsti* Laporte, 1976: 132–133
HT ♂ in MNHN
- 1 PT**: Africa: Reserve De Bale, Dinsh, D.C. Rouget, iii.1975
- fulgurata**, *Neostichtis fulgurata* Carcasson, 1965: 141
HT ♂ in BMNH
- 4 PT** ♂: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, G. Pringle, xi.1961
- pericalles**, *Euplexia pericalles* Fletcher, 1961: 199
HT ♂ in BMNH
- 1 PT**: Uganda: Ruwenzori, 0.23°N, 29.54°E, iv.1945

praetexta, *Leucania praetexta* Townsend, 1956: 42

Current classification: *Rougeotia praetexta* (Townsend, 1956)

HT ♂ in BMNH

1 PT ♂: Kenya: Nakuru, 0.17°S, 36.04°E, A. Townsend, 14.iv.1932

pulcherrima, *Aiteta pulcherrima* Carcasson 1965: 142
HT ♂ in BMNH

1 PT: Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961

rosefasciata, *Plusia rosefasciata* Carcasson, 1965: 147
Current classification: *Trichoplusta rosefasciata* (Carcasson, 1965)

HT ♂ in BMNH

1 PT ♂: Tanzania: Amani, E. Usambara, 5.06°S, 38.39°E, G. Pringle, v.1951

1 PT ♂: Uganda: Bwamba Toro, 0.50°N, 30.033°E, N. Mitton, ix.1961

roseoflammatra, *Sesamia roseoflammatra* Pinhey, 1956: 80

1 PT: Kenya: Kitale 1.01°N, 35.00°E, C. Howard, iv.1954

roseotincta, *Auchenisa roseotincta* Pinhey, 1962: 872
Current classification: *Thiacidas roseotincta roseotincta* (Pinhey, 1962)

2 PT: Zimbabwe: Khami, Matabeleland, 20.158°S, 28.377°E (GM), Nat. Museum S. Rhodesia, x.1959

toddi, *Helicoverpa toddi* Hardwick, 1965: 128

1 PT: Tanzania, Ukerewe Island, 2.03°S, 33.00°E, Father Conrad

wheeleri, *Hypercodia wheeleri* Pinhey, 1968: 7

1 PT: Zimbabwe: Vumba Mts., 19.0°S, 32.45°E (GO), Nat. Museum S. Rhodesia, Umtali, ii.1963

Nymphalidae

acuta, *Acraea ansorgei acuta* Howarth, 1969: 146

Current classification: *Acraea (Actinote) acuta acuta* Howarth, 1969

4 PT: Tanzania: Ihono Forest, Poroto Mts., 8.57°S, 33.38°E, J.G. Williams, iv.1952

amaniensis, *Cymothoe amaniensis* Rydon, 1980: 273

1 PT: Tanzania: Amani, Biol Institute, E. Usambara, 5.06°S, 38.39°E, T.H.E. Jackson, iv.1950

2 PT: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, T.H.E. Jackson, iv.1945

1 PT: Tanzania: Amani, E. Usambara, 5.06°S, 38.39°E, C. Howard, iv.1972

3 PT: Tanzania: Taita Hills, 3.25°S, 38.20°E, Rydor, v.1962

azumai, *Cymothoe lurida azumai* Carcasson, 1964: 63

HT: Tanzania: Mukuyu, Kigoma, 5.30°S, 30.00°E, R.H. Carcasson, xii.1961

3 PT: same locality as HT, Japanese Primate Expedition; Museum Congo, xii.1961

bioculata, *Neocoenra bioculata* Carcasson, 1964: 68

3 PT: Zambia: Nyasaland, Senga [Tsenga Mts.], 13.25°S, 27.7°E (GO), M. Mackay, 30.xii.1963

carcassoni, *Bicyclus campinus carcassoni* Condamin, 1963: 1164

Current classification: *Bicyclus campina carcassoni* Condamin, 1963

1 PT: Kenya: Meru, 0.05°N, 37.37°E, T.H.E. Jackson, iii.1949

carcassoni, *Coenropyopsis carcassoni* Kielland, 1976: 105-112

HT: Kenya: Mackinnon Rd, 3.44°S, 39.03°E, A.H.B. Rhydon, v.1960

1 PT: Kenya: Mackinnon Rd, 3.44°S, 39.03°E, J. Kielland, 5.i.1973

1 PT: Tanzania: Mikumi National Park, 7.15°S, 37.05°E, J. Kielland, v.1973

carcassoni, *Neptis melicerta carcassoni* van Son, 1959: 5

Current classification: *Neptis carcassoni* van Son, 1959

3 PT: Tanzania: Dondo, 7.30°S, 39.29°E, R.H. Carcasson, 22.iv.1949; Mk. Pennington, viii.1957

1 PT: Tanzania: Ihofo Forest, Poroto Mts., 8.57°S, 33.38°E, J.G. Williams, iv.1952

1 PT: Uganda: Impenetrable Forest, Kigezi, 0.16°N, 31.37°E, J.G. Williams, iv.1964

cornesi, *Ipthima antennata cornesi* Kielland, 1982: 120

HT: Nigeria: S. Benne Plateau, M.A. Cornes, vi.1968

dealbata, *Euryphe mardania dealbata* Carcasson, 1958: 8

Current classification: *Bebearia dealbata* (Carcasson, 1958)

2 PT: Kenya: Meru, Makinduri, 0.05°N, 37.37°E

dubia, *Antanartia dubia* Howarth, 1966: 29

1 PT: Zimbabwe: Mt. Selinda, 20.27°S, 32.42°E (GO), R.H. Carcasson, ix.1953

1 PT: Zimbabwe: Vumba, 5.07°S, 39.48°E, R.H. Carcasson, 21.ii.1943

expansa, *Pseudathyma phtonica expansa* Kielland, 1978: 179

HT: Tanzania: Ntakatta, Kigoma Distr., 5.57°S, 30.09°E, J. Kielland, 05.xi.1970

2 PT: Tanzania: Ntakatta, J. Kielland, 8.xi.1971

intermedia, *Asterope amulia intermedia* Carcasson, 1961: 10

Current classification: *Sallya amulia intermedia* (Carcasson, 1961)

2 PT: Kenya: Katanga, Kinda, 1.41°S, 37.22°E, R.H. Carcasson, iv.1959

itanii, *Diestogyna saphirina itanii* Carcasson, 1964: 64

Current classification: *Euryphe saphirina itanii* (Carcasson, 1964)

3 PT: Tanzania: Kigoma, Mukuyu, 5.30°S, 30.00°E, Japanese Primate Expedition, R.H. Carcasson, Major van Inger, ii.1962

jacksoni, *Pseudathyma neptidina jacksoni* Carcasson, 1965: 131

6 PT: Kenya: Kakamega 0.16°N, 34.55°E, R.H. Carcasson, xi.1964

jacksoni, *Ypthima jacksoni* Kielland, 1982: 120

HT: Kenya: Mombasa, 6.12°S, 39.13°E, E. Pinhey, iv.1950

kakamega, *Precis rauana kakamega* Carcasson 1961: 9

Current classification: *Precis rauana rauana* (Grose-Smith, 1898)

1 PT: Kenya: Kaimosi, 0.08°N, 34.51°E, R.H. Carcasson, xii.1953

2 PT: Kenya: Kakamega Forest, 0.16°N, 34.55°E, R.W. Barney, 10.xi.1946, E. Pinhey, 1.ii.1950

1 PT: Uganda: Mbale, 1.04°S, 30.13°E, East Africa Gazetteer. T.H.E. Jackson, x.1950

katama, *Neptis katama* Collins & Larsen, 1991: 442

2 PT: Kenya: Katamayu, 1.04°S, 36.51°E, N. Mitton, 10.i.1965

kiellandi, *Acraea cerasa kiellandi* Carcasson, 1964: 70

1 PT: Tanzania: Mpanda, 6.30°S, 31.30°E, 06.x.1963

kigoma, *Acraea mtiebica kigoma* Kielland, 1978: 105–112
Current classification: *Acraea (Actinote) mtiebica kigoma* Kielland, 1978

7 PT: Tanzania: Lukandamira, Kigoma, 5.30°S, 30.00°E, R.H. Carcasson, S. Collins, J. Kielland, 17.viii.1970

lamto, *Ypthima lamto* Kielland, 1982: 123

HT: Côte d'Ivoire: Lamto south of Kwani, savane, 5°00'W, 6°13'N (birdlife.org), 29.vi.1965

legrandi, *Acraea terpsicore legrandi* Carcasson, 1964: 69
Current classification: *Acraea (Acraea) neobule legrandi* Carcasson, 1964

4 PT: Tanzania: Kigoma, Lukandamira, 5.03°S, 34.32°E, J. Kielland, viii.1970

1 PT: Seychelles: Cosmoledo, H. Legrand, 17.ix.1959

1 PT: Seychelles: Aldabra, 9.25°S, 46.22°E (GO), H. Legrand, 8.ix.1959

magambae, *Cymothoe magambae* Rydön, 1980: 272

1 PT: Tanzania: Magamba Forest, Lushoto, A.H.B. Rydön, iv.1964

makuyensis, *Amauris egialea makuyensis* Carcasson, 1964: 122–157

Current classification: *Amauris (Amaura) damocles makuyensis* Carcasson, 1964

1 PT: Tanzania: Mazumbai, W. Usambara, 4.45°S, 38.30°E, Japanese Primate Expedition

1 PT: Tanzania: Makuyu, Kigoma, 5.30°S, 30.00°E, Japanese Primate Expedition

- nairobicus**, *Charaxes cithaeron nairobiensis* van Son, 1953: 220
- HT:** Kenya: Rift Valley, Turi, 0.14°S, 35.47°E, D.J.L. Agassiz, xi.1998
- 1 PT:** Kenya: Namanga, 2.42°S, 37.01°E, S. Collins iii.1983
- 1 PT:** Tanzania: Njombe Town, 9.20°S, 34.46°E, Cm., xii.1966
- 1 PT:** Tanzania: Oldonyo Erok, 3.26°S, 36.44°E, S. Collins, iii.1983
- nipponicorum**, *Najas sarcoptera nipponicorum* Carcasson, 1965: 131
Current classification: *Euphaedra (Euphaedra) sarcoptera nipponicorum* (Carcasson, 1965)
- 2 PT:** Tanzania: Kigoma, 4.53°N, 29.39°S, Japanese Primate Expedition, v.1964
- nyiro**, *Charaxes baumanni nyiro* Collins & Larsen, 1991: 441
- 1 PT:** Kenya: Nyiro, 1.29°N, 33.50°E, S. Collins, 1989
- obscurata**, *Ypthima pupillaris obscurata* Kielland, 1982: 134
- HT:** Tanzania: Mpanda, Ngondo 6.30°S, 31.30°E, J. Kielland, 14.i.1970
- 1 PT:** Tanzania: Mpanda, 6.30°S, 31.30°E, J. Kielland, 14.i.1970
- 2 PT:** Tanzania: Mpanda, Sitwe 6.30°S, 31.30°E, van Someren 20.v.1970
- 1 PT:** Tanzania: Mufindi, 8.36°S, 35.17°E, R.H. Carcasson, xi.1958
- occidentalis**, *Bicyclus xeneas occidentalis* Condamin, 1965: 1108
- 1 PT:** Ivory Coast: Abidjan, 5.20°N, 4.01°W (GE), A. Galley, ii.1964
- ochreatea**, *Euriphene sophus ochreatea* Carcasson, 1961: 8
Current classification: *Bebearia sophus ochreatea* (Carcasson, 1961)
- 2 PT:** Zambia: Kangwena [Kanpwena], Bay Kesoge, L. Tanganyika, 13.12°S, 28.33°E (GO), T.H.E. Jackson, v.1954
- 6 PT:** Malawi: Nyasaland, T.H.E. Jackson & R.H. Carcasson, 30.xii.1963
- 1 PT:** Kenya: Mt. Kagwe, W. Prov., T.H.E. Jackson, v.1954
- 4 PT:** Tanzania: Mpanda, 6.30°S, 31.30°E, J. Kielland & Major van Inger, vii.1959
- pinheyi**, *Neocoenyma pinheyi* Carcasson, 1961: 12
- 1 PT:** Kenya: Iringa, 0.36°S, 34.15°E, E. Pinhey, iv.1954
- punctimarginea**, *Acraea punctimarginea* Pinhey, 1956: 15
- 2 PT:** Tanzania: Amani, East Usambara, 5.06°S, 38.39°E, E. Pinhey, ii.1953
- 2 PT:** Tanzania: Kimboza Forest, 7.02°S, 37.47°E, E. Pinhey, iv.1954
- reducta**, *Issoria smaragdiferia reducta* Carcasson, 1961: 10
- 1 PT:** Kenya: Iringa, Mutindi, 0.36°S, 34.15°E, P. Burdon, i.1957
- 4 PT:** Tanzania: Poroto Mts., Mbeya, 8.50°S, 33.20°E, J.G. Williams, ix.1956
- similis**, *Bicyclus similis* Condamin, 1963: 902
- 2 PT:** Tanzania: Mt. Kungwe, 6.07°S, 29.48°E, T.H.E. Jackson, ix.1954
- simulacris**, *Bicyclus simulacris* Kielland, 1990
- 1 PT:** Africa: Bondwa Mt., J. Kielland, 2.ii.1982
- 1 PT:** Africa: Rubehu, Chubu Mts, J. Kielland, 20.i.1984
- 2 PT:** Tanzania: Shume, W. Usambara, 4.45°S, 38.3°E, J. Kielland, 14.xii.1981
- superna**, *Cymothoe theobene superna* Fox, 1968: 1237
Current classification: *Harma theobene superna* (Fox, 1968)
- 1 PT:** Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, T.H.E. Jackson, xii.1939
- toyoshimai**, *Charaxes zelica toyoshimai* Carcasson, 1964: 63
- 1 PT:** Kenya: Kasigau, 3.81°S, 38.66°E, S. Collins, xii.1981
- 1 PT:** Tanzania: Kigoma, Mukuyu, 1.09°N, 31.1°E, Japanese Primate Expedition, iv.1982
- translima**, *Neptis woodwardi translima* Collins & Larsen, 1991: 443
- HT:** Kenya: Katamayu, 1.04°S, 36.51°E, R.H. Carcasson, iii.1984

ufipa, *Charaxes ansorgei ufipa* Kielland, 1978: 174

1 PT: Tanzania: Ufipa, 8.25°S, 31.50°E, Japanese Primate Expedition, x.1971

uluguru, *Neptis ochracea uluguru* Kielland, 1985: 62–76

HT: Tanzania: Lukandamira, Kigoma, 5.30°S, 30.00°E, J. Kielland, viii.1970

1 PT: Tanzania: Mpanda, Sitebi, 4.40°S, 31.37°E, J. Kielland, 2.v.1970

uzungwensis, *Bicyclus uzungwensis* Kielland, 1990: 1–363

2 PT: Kenya: Western, Malava, 0.28°N, 34.51°E, Stoneham, 25.xii.1931; 18.i.1957

1 PT: Kenya: Eastern, Malawa, 0.34°N, 36.24°E, Stoneham, 20.ii.1960

1 PT: Kenya: Soy, 0.40°S, 35.09°E, Stoneham, 30.ix.1932

vuattoux, *Ypthima vuattoux* Kielland, 1982: 121

HT: Côte d'Ivoire: savani, 5°00'W, 6°13'N (birdlife.org), 08.xi.1967

1 PT: Côte d'Ivoire: Lamto, savani, 5°00'W, 6°13'N (birdlife.org), R. Vuattaux, 11.xi.1968

walwandi, *Charaxes xiphares walwandi* Collins, 1989

1 PT: Kenya: Kasigau, 3.81°S, 38.66°E, S. Collins, xii.1981

yatta, *Ypthima yatta* Kielland, 1982: 108

HT: Kenya: Yatta, 1.28°S, 37.50°E, N. Mitton, 3.v.1942

Papiolinidae

hecqui, *Papilio jacksoni hecqui* Berger, 1954: 93

2 PT: Kenya: Ewaso Nyiro, 1.09°S, 35.46°E, R.H. Carcasson, 9.viii.1954

kungwe, *Papilio jacksoni kungwe* Cottrell, 1963: 127

3 PT: Tanzania: Kigoma, 4.88°S, 29.63°E, Japanese Primate Expedition, xii.1961

1 PT: Tanzania: Makuyu, Kigoma, 5.30°S, 30.00°E, Japanese Primate Expedition, xii.1961

2 PT: Tanzania: Kibali-Huri Nioka, 5.30°S, 30.00°E, Museum Congo, 9.viii.1954

mackiei, *Graphium porthaon mackiei* Collins & Larsen, 1991: 119, 438

4 PT: Kenya: Meru, 0.05°N, 37.37°E, R.H. Carcasson, S. Collins, Museum Congo, xi.1988

ufipa, *Papilio bromius ufipa* Carcasson, 1961: 3

25 PT: Kenya: Chyulu Hills, 2.24°S, 37.44°E, Coryndon Museum, vi.1938

2 PT: Kenya: Mbisi Forest, 3.57°S, 38.27°E, E.R. Carcasson, xi.1968

Pieridae

nobilis, *Colotis elgonensis nobilis* Carcasson, 1961: 6

1 PT: Tanzania: Mpanda, 6.30°S, 31.30°E, J. Kielland, 15.i.1959

similis, *Belenois raffrayi similis* Kielland, 1978: 163

2 PT: Tanzania: Kigoma, 4.53°N, 29.39°S, Mwenze, 5.vii.1970

9 PT: Tanzania: Mt. Sitebi, Mpanda, 4.40°S, 31.37°E, J. Kielland, R.H. Carcasson, S. Collins, Japanese Primate Expedition, ix.1970

Pterophoridae

aberdareana, *Agdistis aberdareana* Arenberger, 1988: 18

2 PT: Kenya: Karen near Nairobi, 1.20°S, 36.42°E, C. Dewhunt, vi.1981

2 PT: Tanzania: Njoro, 3.52°S, 35.42°E, Mrs. Board, ii.1958

kenyana, *Agdistis kenyana* Arenberger, 1988: 16

HT: Kenya: Aberdare, Country Club, 0.25°S, 36.38°E, M.P. Clifton, vii.1975

3 PT: Kenya: Nakuru, 0.17°S, 36.04°E, A. Townsend, v.1953

korana, *Agdistis korana* Arenberger, 1988: 21

1 PT: Kenya: Kora Rock, Tana River, 1.30°S, 39.30°E, Tana River Expedition, viii.1976

rifftalveyi, *Agdistis rifftalveyi* Arenberger, 2001: 31–36

HT ♂: Kenya: Bogoria (Hannington) Lake, 0.25°S, 36.09°E, D.J.L. Agasiz, ii.1999

Pyralidae

africalis, *Pseudognathobotys africalis* Maes, 2001: 195–200

HT ♂: Uganda: Bungoma Forest, Unyoro, 1.45°N, 31.35°E, A. Archer, xi.–xii.1967

1 PT ♂: Uganda: Kayonza, Kigezi, 1.11°S, 30.11°E, R.C. Otieno, iii.1967

carcassoni, *Mittonia carcassoni* Whalley, 1964: 47–52

2 PT: Uganda: Entebbe, 0.04°N, 32.28°E, D. Bartlett, ii.1962; J.A. Burgess, ix.1964

kenyensis, *Herpetobotys kenyensis* Maes, 2001: 181–188

1 PT ♀: Kenya: Kakamega, 0.16°N, 34.55°E, R.H. Carcasson, iii.1966

ugandae, *Herpetobotys ugandae* Maes, 2001: 181–188

HT ♂: Uganda: Kayonza Kigezi, 1.11°S, 30.11°E, R.C. Otieno, iii.1967

1 PT ♂: same data as HT

1 PT ♂: Uganda: Bwamba Toro, 0.50°N, 30.033°E, N. Mitton, ix.1961

Riodniidae

mahale, *Abisara naevai mahale* Kielland, 1978: 147–237

HT: Tanzania: Kasoge 6.09°S, 29.46°E, T.H.E. Jackson, 07.iv.1968

8 PT: Tanzania: Kasoge, 6.09°S, 29.46°E, J. Kielland, 07.vi.1968; T.H.E. Jackson, 18.i.1967; Major van Inger, 18.i.1967 & 26.x.1967

2 PT: Tanzania: Kungwe, 6.09°S, 29.46°E, T.H.E. Jackson, J. Kielland, ix.1945

3 PT: Tanzania: Kungwe, Kigoma, 5.3°S, 30.00°E, T.H.E. Jackson, Major van Inger, 7.vi.1968

1 PT: Tanzania: Njombe, 9.20°S, 34.46°E, J. Kielland, viii.1966

1 PT: Tanzania: Ujemba [Uwemba], 5.87°S, 39.37°E (GM), T.H.E. Jackson, viii.1966

tanzania, *Abisara delicata tanzania* Kielland, 1986: 137–154

5 PT: Tanzania: Amani, Usambara, 5.06°S, 38.39°E, T.H.E. Jackson, ix.1945, Major van Inger, ix.1945

Saturniidae

bruneli, *Pseudobumaea meloui bruneli* Rougeot, 1974: 214

1 PT: Chad: Moundou, Tchad, 8.34°N, 16.5°E (GO), J. Brunel, vii.1972

carcassoni, *Gynanisa carcassoni* Rougeot, 1974: 561–563

1 PT: South Africa: Swaziland: Abercorn, 8.50°S, 31.23°E, R.H. Carcasson, xi.1958

cliffoni, *Aurivillius triramis cliffoni* Rougeot, 1977: 94

1 PT: Kenya: Kakamega, 0.16°N, 34.55°E, R.H. Carcasson, x.1966

1 PT: Kenya: Kakamega Forest, 0.16°N, 34.55°E, B. Watulenge, x.–xi.1969

1 PT: Kenya: Bungoma Forest, Unyoro, 1.45°N, 31.35°E, A.J. Archer, xii.1967

subueleense, *Orthogoniopitulum subueleense* Rougeot, 1972: 44

2 PT: Central African Republic: La Maboko, R. Pujol, xii.1966

terrali, *Gynanisa maja terrali* Bouyer, 2001

1 PT: Kenya: Kitale, 1.01°N, 35.00°E, Stoneham, 10.vii.1962

watulogei, *Epiphora rectifascia watulogei* Rougeot, 1974: 561–563

2 PT: Kenya: Kakamega Forest, 0.16°N, 34.55°E, B. Watulenge, xii.1969

xerophilus, *Aurivillius triramis xerophilus* Rougeot, 1977: 95

1 PT: Mali: Bamako, 12.39°N, 8.00°W

Sphingidae

amaniensis, *Polyptychus andosa amaniensis* Carcasson, 1968: 1–148

2 PT: Tanzania: Amani, 5.36°S, 39.43°E, D. Mackay, vii.1966

scheveni, *Temnora scheveni* Carcasson, 1968: 98

1 PT: Uganda: Kalinzu, 0.25°S, 30.05°E, 5 iii.1965

5 PT: Uganda: Kalinzu, Ankole, 0.25°S, 30.05°E, Scheven, iii.1965

septentrionalis, *Neopolyptychus compar septentrionalis* Carcasson, 1968: 21

10 PT: Tanzania: Amani, Usambara Mts., 5.06°S, 38.39°E, R.H. Carcasson, xi.1965; G. Pringle, v.1961

- tanzanica*, *Chloroclanis virescens tanzanica* Carcasson, 1968: 29
- 1 PT:** Tanzania: Amani, E. Usambara, 5.06°S, 38.39°E, R.H. Carcasson, xi.1965
- ugandae*, *Temnora griseata ugandae* Carcasson, 1972: 180
- 1 PT:** Uganda: Kamengo, 0.13°N, 32.21°E, T.H.E. Jackson, ix.1951
- 1 PT:** Uganda: Katera, Sango Bay, 0.91°S, 31.64°E, R.H. Carcasson, x.1960
- 1 PT:** Tanzania: Moshi, 3.30°S, 37.30°E, N. Mitton, iii.1950
- 2 PT:** Tanzania: Usambara, 4.45°S, 38.30°E, N. Mitton, ii.1962
- Thyrididae**
- carcassoni*, *Kuja carcassoni* Whalley, 1971: 126
- 1 PT:** Kenya: Sokoke Forest, Malindi, 3.20°S, 39.52°E, M.P. Clifton, iv.1960
- carcealis*, *Hapana carcealis* Whalley, 1971: 102
Current classification: *Kanshizeia carcealis* (Whalley, 1971)
- 1 PT:** Kenya: Kacheliba, West Suk, 1.29°N, 35.01°E, T.H.E. Jackson, vii.1961
- 3 PT:** Kenya: Nairobi, 1.17°S, 36.50°E, R.H. Carcasson, iv.1961
- culanota*, *Kalenga culanota* Whalley, 1971: 144
- 1 PT:** Zambia: Lake Chila, Abercorn [Mbalala], 8.50°S, 31.23°E, N.R.E. Pinhey, iv.1954
- distinctus*, *Hypolamprus distinctus* Whalley, 1971: 130
- 1 PT:** Uganda: Masaka, Katera, Congo Bay, 0.91°S, 31.64°E, R.H. Carcasson, x.1960
- gangaba*, *Hypolamprus gangaba* Whalley, 1971: 132
- 1 PT:** Zimbabwe: Umfali, Vumba Mts., 19.0°S, 32.45°E, E. Pinhey, x.1953
- humeralis*, *Strigina humeralis* Whalley, 1971: 81
Current classification: *Mystina humeralis* (Whalley, 1971)
- 1 PT:** Congo: Kolwezi, Katanga, 9.38°S, 25.46°E (GO), A. Allard, xii.1960
- kibala*, *Kuja kibala* Whalley, 1971: 125
- 2 PT:** Kenya: Nairobi, 1.17°S, 36.50°E, R.H. Carcasson, iv.1966
- maculanota*, *Kalenga maculanota* Whalley, 1971: 143
- 1 PT:** Zambia: Abercorn [Mbalala], 8.50°S, 31.23°E, I.R.L.C.S., vi.1967
- neolatizona*, *Sijua neolatizona* Whalley, 1971: 161
- 1 PT:** Uganda: Fort Portal, 0.40°N, 30.17°E, R.H. Carcasson, v.1958
- nivosa*, *Nemea nivosa* Whalley, 1971: 151
- 1 PT:** Uganda: Bwamba, 0.50°N, 30.033°E, R.H. Carcasson, ii.–iii.1957
- quaestus*, *Hypolamprus quaestus* Whalley, 1971: 131
- 1 PT:** Uganda: Kampala, 0.19°N, 32.35°E, R.T. Evans, 7.vii.1950
- trepida*, *Strigina trepida* Whalley, 1971: 75
- 1 PT:** Uganda: Kalinzu Forest, Ankole, 0.25°S, 30.05°E, R.H. Carcasson, xi.1961
- 1 PT:** Uganda: Mabira Forest, Jinja, 0.3°N, 32.55°E, R.H. Carcasson, xii.1962
- tyrannica*, *Cecidothyris tyrannica* Whalley, 1971: 182
- 1 PT:** Kenya: Kitale, 1.01°N, 35.00°E, C.R. Howard, iv.1953
- Tortricidae**
- kenyana*, *Phtheochroa kenyana* Aarvik, 2010: 83
- HT ♂:** Kenya: East: Rift Valley: Turi, 0.17°S, 35.46°E, 8000 ft. D.J.L. Agassiz, 4.xi.1998
- 1 PT:** same data as HT, 24.iv.1999
- Acknowledgements.** Evaluation and digitisation of type specimens, which formed the base for the current publication was supported by the German Federal Ministry of Education and Research (Project BIOTA Africa E15) in collaboration with the National Museums of Kenya.

REFERENCES

- Aarvik L (2010) Review of East African Cochyliini (Lepidoptera, Tortricidae) with description of new species. *Norwegian Journal of Entomology* 57: 81–108
- Adamski D, Copeland RS, Müller SE, Hebert PDN, Darrow K, Luke Q (2010) A review of African Blastobasinae (Lepidoptera: Gelechioidea: Coleophoridae), with new taxa reared from Native Fruits in Kenya. *Smithsonian Contributions to Zoology* 630: i–vi, 1–68
- Agassiz DJL (2008) *Anthophila massaicae* sp. n. (Chorutidae) a remarkable case of parallel evolution. *Nota Lepidoptera* 31 (2): 227–230
- Agassiz DJL, Harper MD (2009) The Macrolepidoptera fauna of *Acacia* in the Rift Valley (part 2 – Description of new species). *Tropical Lepidoptera Research* 19 (1): 9–17
- Arenberger E (1988) Die *Agdistis*-Arten der äthiopischen Region (2. Beitrag) (Lepidoptera, Pierophoridae). *Stafpia* 16: 13–25
- Arenberger E (2001) Beitrag zur Pierophoridenfauna Kenyas (Lepidoptera). *Zeitschrift der Arbeitsgemeinschaft Oesterreichischer Entomologen* 53 (1–2): 31–36
- Berger LA (1954) Note sur *Papilio jacksoni* Sharpe. *Lambillonea* 54: 92–94
- Berio E (1971) Descrizione di nuove Noctuidae e note sinonimiche (Lepidoptera). *Bollettino della Società Entomologica Italiana* 103: 63–68
- Bouyer T (2001) Descriptions de nouveaux Saturniidae d'Afrique orientale (Lepidoptera). *Entomologia Africana* 6 (2): 13–20
- Carcasson RH (1958) Some new African Lepidoptera. *Occasional Papers Coryndon Museum Nairobi* 5: 10 pp
- Carcasson RH (1961) New and little-known African Lepidoptera. *Occasional Papers Coryndon Museum Nairobi* 7: 3–23
- Carcasson RH (1962) New African Lepidoptera. *Journal of the East Africa Natural History Society* 24: 54–63
- Carcasson RH (1964) A preliminary survey of the zoogeography of African butterflies. *East African Wildlife Journal* 2: 122–157
- Carcasson RH (1964) New African moths. *Journal of the East Africa Natural History Society* 24: 53–82, 8 plates
- Carcasson RH (1965) New Lepidoptera from East Africa. *Journal of the East Africa Natural History Society* 25: 131–160, 6 plates
- Carcasson RH (1968) Revised catalogue of the African Sphingidae (Lepidoptera) with descriptions of the East African species. *Journal of the East Africa Natural History Society and National Museum* 26 (3): 1–148
- Carcasson RH (1971) New species of African Geometrinae (Geometridae). *Journal of the Lepidopterists' Society* 25: 169–176
- Carcasson RH (1972) Revisional notes on the African Sphingidae (Lepidoptera). *Journal of Entomology (Series B)* 41 (2): 175–190
- Carcasson RH (1981) Collins handguide to the butterflies of Africa. Collins, London, 188 pp
- Clifton MP (1980) Natural history notes from Kakamega Forest, Western Kenya: Part 2. Lepidoptera. *East Africa Natural History Society bulletin* 1980: [54–55]
- Collenette CL (1931) New African Lymantriidae in the British Museum collection. *Transactions of the Entomological Society of London* 79: 341–363
- Collenette CL (1937) Bulletin of the American Museum of Natural History (10) 20: 606
- Collins SC, Larsen TB (1991) Description of new genera and subspecies discovered as part of the research for the book *The butterflies of Kenya and their natural history*. In: Larsen, TB *The butterflies of Kenya and their natural history*. Oxford University Press, Oxford, New York etc, 1991: i–xxii, 1–490. Chapter pagination: 438–445
- Collins SC, Larsen TB (2008) Eighteen new species, five new subspecies, and interesting data on other African butterflies. Fourth ABRI Research Paper. *Metamorphosis* 19 (2): 42–113
- Condamine M (1963) Bulletin de l'Institut Française d'Afrique Noire Dakar (A) 25: 902, 1164
- Condamine M (1965) Mises au point et descriptions de nouveaux *Bicyclus* (Lepidoptera Satyridae). *Bulletin de l'Institut Française d'Afrique Noire Dakar (A)* 27: 1095–1110
- Cottrell CB (1963) Two new subspecies of *Papilio jacksoni* E. Sharpe (Lepidoptera: Papilionidae) from Tanganyika and Northern Rhodesia-Nyasaland border. *Proceedings of the Royal Entomological Society of London (B)* 32: 127
- De Prins J, Mozuraitis R (2006) A new species of *Phyllonorycter* (Lepidoptera: Gracillariidae) from Kenya discovered by using the sex attractant Z8-tetraaceten-1-yl acetate. *Zootaxa* 1124: 55–68
- Fletcher DS (1951) [*Eupithecia* Studies I. (Lepidoptera: Geometridae).] *Annals & Magazine of Natural History* (12) 4: 1051
- Fletcher DS (1956) New species of African Geometridae. Parts I, II. *Proceedings of the Royal Entomological Society of London (B)* 25 (1/2): 29–34, 35–46
- Fletcher DS (1958) Geometridae from Tanganyika collected by Dr Christa Lindemann and Nina Pavlitzi. *Veröffentlichungen der Zoologischen Staatssammlung München* 5: 117–144
- Fletcher DS (1961) Noctuidae. *Ruwenzori Expedition* 1952. *London British Museum (Natural History)* 1 (no 7): 177–323
- Fletcher DS (1967) A revision of the Ethiopian species and a check list of the world species of *Cleora* (Lepidoptera: Geometridae). *Bulletin of the British Museum (Natural History) Entomology* 8: 1–119
- Fox RM (1968) Contribution à la faune du Congo (Brazzaville). Mission A. Villiers et A. Descarpentiers. 78. *Lepidopteres Nymphalidae, Danaidae et Riodinidae*. *Bulletin de l'Institut fondamentale d'Afrique Noire (A)* 30: 1236–1280
- Hardwick DF (1965) The Corn Earworm Complex. *Memoirs of the Entomological Society of Canada* 40: 247 pp, 146 figs
- Hawker-Smith W (1933) New species and races of Lipentinae (Lepidoptera: Lycaenidae). *Stylops* 2: 1–12
- Herbulot C (1987) Nouveaux *Semiothisa* africains. *Timea (Supplement)* 12: [276–284]
- Howarth TG (1966) Revisional notes on the genus *Antanartia* (Lepidoptera: Nymphalidae). *Bulletin of the British Museum (Natural History) Entomology* 18: 21–43
- Howarth TG (1969) Revisional notes on the genus *Antanartia* (Lepidoptera: Nymphalidae). *Proceedings of the Royal Entomological Society of London (B)* 38: 141–156
- Jackson THE (1968) Notes on the genus *Epiotia* Westwood (Lep. Lycaenidae). *Bulletin de l'Institut fondamental d'Afrique Noire (A)* 30: 1472–1476
- Joannou GJ, Gurdovich AV (2009) A review of the genus *Bombycomorpha* C. Felder & R. Felder, 1874 with descriptions of a new species and a new subspecies (Lepidoptera, Lasiocampidae). *Neue Entomologische Nachrichten* 63: 103–117, 211
- Kiehlund J (1976) Some new and rare Rhopalocera from Tanzania (Lycaenidae, Satyridae). *Entomologische Berichten* 36 (7): 105–112

- Kielland J (1978) A provisional checklist of the Rhopalocera of the eastern side of Lake Tanganyika. *Tijdschrift voor Entomologie* 121: 147–237
- Kielland J (1980) In: D'Aberra: Butterflies of the Afrotropical Region. Lansdowne Editions, Melbourne: 1–593
- Kielland J (1982) Revision of the Genus *Yphima* in the Ethiopian region excluding Madagascar (Lepidoptera, Satyridae). *Tijdschrift voor Entomologie* 125 (5): 99–154
- Kielland J (1985) New and little known Rhopalocera from Tanzania. (Lepidoptera concerning Lycaenidae, Nymphalidae, Pieridae and Satyridae) (2). *Lambillionea* 85 (7–10): 62–76
- Kielland J (1985) New and little known Lepidoptera from Tanzania and Malawi (Rhopalocera: Riodinidae, Pieridae, Satyridae and Lycaenidae). *Lambillionea* 85 (11–12): 95–112
- Kielland J (1986) New and little-known butterflies from Tanzania (Lepidoptera: Lycaenidae and Riodinidae). *Lambillionea* 86 (11–12): 137–154
- Kielland J (1990) Butterflies of Tanzania; Hill House, London and Melbourne, 1–363
- Krüger M (2001) A revision of the tribe Macarini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. *Bulletin of the Natural History Museum Entomology Series* 70 (1): 1–502
- Krüger M (2002) Additional revisionary notes on Afrotropical Macarini (Geometridae: Ennominae: Macarini). *Metamorphosis* 13 (3): 78–86
- Laporte (1976) Diagnoses de nouveaux genres et de plusieurs espèces inédites de Noctuidae Trifinae (Lépidoptères) d'Éthiopie (3e note). *Bulletin Mensuel de la Société Linnéenne de Lyon* 45 (3): 131–136
- Laporte (1991) Les Lépidoptères hétérocères d'Afrique orientale. *Annales de la Société Entomologique de France* 27 (4): 407–463
- Lehmann I (2007) Metarbelidae (Lepidoptera: Cossioidea). *Esperiana Memoir* 4: 169–185, 286–287
- Lehmann I (2008a) Ten New Species of Metarbelidae (Lepidoptera: Cossioidea) from the Coastal Forests and the Eastern Arc Mountains of Kenya and Tanzania, including one Species from two Upland Forests. *Journal of East African Natural History* 97 (1): 43–82
- Lehmann I (2008b) Six new species of Metarbelidae (Lepidoptera: Cossioidea) from the Eastern Arc Mountains of Tanzania, including one new species from Marenji Forest in Southeast Coastal Kenya. *Journal of East African Natural History* 97 (2): 187–206
- Lehmann, I. 2010c. A revision of the genus *Arbelodes* Karsch (Lepidoptera: Cossioidea: Metarbelidae) from southeast-central and southern Africa with the description of thirteen new species. Published by the author, Wismar & Hamburg: 1–82, pls. 1–5.
- Libert M (1999) Révision des genres *Epitola* Westwood, *Hypophytala* Clench et *Stempfferia* Jackson, et description de trois nouveaux genres (Lepidoptera Lycaenidae). A.B.R.I., Nairobi and Lambillionea, Tervuren, 219 pp
- Libert M (2000) Révision du genre *Mimacraea* Butler avec description de quatre nouvelles espèces et deux nouvelles sous-espèces. A.B.R.I., Nairobi and Lambillionea, Tervuren, May, 2000: 1–72
- Maes D (2001) *Herpetobots* gen. n. with three new species from the Afrotropical region (Lepidoptera Pyraloidea Crambidae Pyraustinae). *Belgian Journal of Entomology* 3 (1): 181–188
- Maes D (2001) *Pseudognathobots*, a new genus with two new species of Pyraustinae (Lepidoptera Pyraloidea Crambidae). *Belgian Journal of Entomology* 3 (1): 195–200
- Maes D (2005) New species and new combination in the Pyraustinae (Lepidoptera: Pyraloidea, Crambidae) (Tome II). *Lambillionea* 105 (4): 635–642
- Martin EL (1955) The African species of the genus *Parodomia* Warren (Lepidoptera: Pyralidae: Pyraustinae). *Bulletin of the British Museum (Natural History), Entomology* 3(14): 505–521
- Pinhey E (1952) Notes on Odonata and Lepidoptera made on a collecting trip in Uganda with descriptions of two new Arctiidae (Lep.) from Tanganyika and Kenya. *Entomologist's Monthly Magazine* 88: pp. 169–176
- Pinhey E (1956) Some new Lepidoptera of East Africa. *Occasional Papers of the National Museum of Southern Rhodesia* 3 (no 21B): 78–82
- Pinhey E (1956) Some new species of Lepidoptera from eastern Africa. *Occasional Papers Coryndon Museum Nairobi* 4 (1955): 10–16
- Pinhey E (1962) New or little-known Lepidoptera from Central Africa. *Occasional Papers National Museum of Southern Rhodesia Bulawayo* (B) 3: 871–891
- Pinhey E (1968) *Arnoldia* Rhodesia 3 (27): 7
- Pringle ELL, Henning GA, Ball JB (Eds) (1994) Pennington's butterflies of Southern Africa. 2nd edition revised and updated. Struik Winchester, Cape Town, 1–800
- Prout LB (1915) New genera and species of African Geometridae. *Novitates Zoologicae* 22: 311–385
- Prout LB (1922) New and little-known Geometridae. *Novitates Zoologicae* 29: 327–363
- Prout LB (1932) Geometridae (Voyage de Ch. Alluaud et R. Jeannel en Afrique orientale, 1911–1912. Insectes lépidoptères III.). *Mémoires Société Zoologique France* 29: 138 pp
- Prout LB (1932) New exotic Geometridae. *Novitates Zoologicae* 38: 103–126
- Riley ND (1932) New African and Arabian butterflies. *Annals and Magazine of Natural History* (10) 10: 137–152
- Rougéot P-C (1972) Sur quelques Lépidoptères Attacidae inédits du Musée Royal de l'Afrique centrale (Tervuren, Belgique). *Lambillionea* 71 (5–6): 42–46
- Rougéot P-C (1974) Description de deux nouvelles sous-espèces de *Pseudobomacoa* d'Afrique centrale et orientale (Lep. Attacidae). *Bulletin de la Société Entomologique de France* 29 (7–8): 214
- Rougéot P-C (1974) Lépidoptères Attacidae inédits d'Afrique orientale. *Annales de la Société Entomologique de France* 10 (3): 561–563
- Rougéot P-C (1977) Description de Lépidoptères Attacidae éthiopiens inédits. *Bulletin de la Société Entomologique de France* 82 (3–4): 92–96
- Rydon AHB (1980) In D'Aberra: Butterflies of the Afrotropical Region. Lansdowne Editions, Melbourne: 1–593
- Stempffer H (1947) Contribution à l'étude des Lycaenidae de la faune éthiopienne. *Bulletin de la Société Entomologique de France* 52: 35–41
- Stempffer H (1956) Contribution à l'étude des Lépidoptères Lycaenidae l'Afrique équatoriale. *Annales du Musée royal du Congo Belge* (8) Sciences zoologiques 49: 1–54
- Stempffer H (1961) Complément à la révision des genres du groupe des *Iolans* (Lep. Lycaenidae). *Bulletin de l'Institut française d'Afrique Noire* Dakar (A) 23: 88–101
- Stempffer H (1962) Contribution à l'étude des Lépidoptères Lycaenidae de l'Afrique tropicale et équatoriale. *Bulletin de l'Institut Française d'Afrique Noire* Dakar (A) 24: 1135–1181
- Stempffer H (1964) Contribution à l'étude des Lycaenidae d'Afrique tropicale et équatoriale. *Bulletin de l'Institut française d'Afrique Noire* Dakar (A) 26: 1226–1287

- Stempffer H (1967) Contribution a l'etude des Lycaenidae d'Afrique tropicale et equatoriale. Bulletin de l'Institut fondamentale d'Afrique Noire (A) 29: 978–1000
- Stempffer H, Bennett NH (1953) A revision of the genus *Tertio-mima* Kirby (Lepidoptera: Lycaenidae). Bulletin of the British Museum (Natural History) Entomology 3: 79–104
- Stempffer H, Bennett NH (1958) [Title not traced] Bulletin de l'Institut française d'Afrique Noire Dakar (A) 20: 1243–1347
- Stempffer H, Bennett NH (1959) Révision des genres appartenant au groupe des *Iolana* (Lepidoptera: Lycaenidae) (Deuxième partie). Bulletin de l'Institut française d'Afrique Noire Dakar (A) 21 (1): 227–325
- Stempffer H, Bennett NH (1961) Revision du genre *Pentila* Westwood (Lep. Lycaenidae). Bulletin de l'Institut française d'Afrique Noire Dakar (A) 23: 1098–1211
- Stoneham HF (1934) New species of Lycaenidae, Leach, from Kenya Colony, British East Africa. Bulletin of the Stoneham Museum Kitale 17 (1933): 1–3
- Stoneham HF (1937) Notes on African Lycaenidae, and new forms. Bulletin of the Stoneham Museum Kitale 34: 1–3
- Stoneham HF (1938) Notes on African Lycaenidae, and some new forms. Bulletin of the Stoneham Museum Kitale 36: 1–3
- Stoneham HF (1962) A provisional check list of the African Saturniidae in the museum collections. Parts 1–5. Bulletin of the Stoneham Museum Kitale Entomology 74 [3 pp], 75 [4 pp], 76 [4 pp], 77 [4 pp]
- Swinhoe C (1904) On the Geometridae of Tropical Africa in the National Collection. Transactions of the Entomological Society of London 1904 (3): 497–590
- Tite GE (1961) New species of the Genus *Lepidochrysops* (Lepidoptera: Lycaenidae). Entomologist 94: 21–25
- Townsend A (1956) Occasional Papers Coryndon Museum 4: 42
- van Someren VGL (1939) The butterflies of Kenya and Uganda. Vol. 2, Part 2. Sub-family Nymphalinae (continued). Journal of the East Africa and Uganda Natural History Society 14: 15–100
- van Someren VGL (1939) Journal of the East Africa and Uganda Natural History Society 14: 130–151
- van Someren VGL (1969) Revisional notes on African *Charaxes* (Lepidoptera: Nymphalidae) Part 5. Bulletin of the British Museum (Natural History) Entomology 23: 75–166
- van Son G (1953) A revision of the subspecies and forms of *Charaxes cithaeron* Felder and *Charaxes xiphares* (Cramer). Annals of the Transvaal Museum 22 (2): 219–230
- van Son G (1959) A new subspecies of *Neptis melicerta* Drury from Southern Africa. Novos Taxa Entomologica (15): 8 pp
- Watson A (1965) A revision of the Ethiopian Drepanidae (Lepidoptera). Bulletin of the British Museum (Natural History) Entomology, Supplement 3: 178 pp, 18 pls
- Whalley PES (1964) A new genus and species of Pyralinae from Africa (Lepidoptera, Pyralidae). Journal of the East Africa Natural History Society 24: 47–52
- Whalley PES (1971) The Thyrididae (Lepidoptera) of Africa and its islands. A taxonomic and zoogeographic study. Bulletin of the British Museum (Natural History), Entomology, Supplement 17: 1–198